

## BS3 errata and additions

Page	Species	Correction details
xiv	Editors' preface and acknowledgements	Paragraph 2: replace "Katrina Cooke" with "Katrina Cook".
xiv	Editors' preface and acknowledgements	Replace "K Bryne" with "K Byrne" and move before R Byrne.
4	Scottish avifauna	Line 2: replace "Black Grouse on the moorlands" with "Black Grouse on the moorland edges".
18	Geography and habitats	Photograph caption: replace "Ure Water" with "Urr Water".
46	Changes in Scotland's avifauna	Table: remove "Grey-tailed Tattler 1994" from North America table. Add it to the 'East and Central Palearctic 1950-2006' table on page 45.
97	Pioneers in Scottish ornithology	Paragraph 2: replace "Seaton Gordon" with "Seton Gordon".
106	Pioneers in Scottish ornithology	Column B, 1st reference: replace "Alaxander" with "Alexander".
108	Pioneers in Scottish ornithology	Column A: replace "Mcmillan" with "Macmillan".
108	Pioneers in Scottish ornithology	Column B, Saunders & Clarke ref: replace "197" with "1927".
108	Pioneers in Scottish ornithology	Column B: replace "Desmond-Nethersole" with "Desmond Nethersole".
119	Introduction to species accounts	Right column, para 3: insert after 1st sentence: "Caithness and Nairn are also components of the Highland Council Area, but these areas do not form part of the Highland Recording Area."
124	Introduction to species accounts	Clarification of map key: the blue dots of coastal sites are small and pale blue; the dark blue of the main estuaries are coloured areas plus the large dots.
160	Greater Canada Goose	Breeding map: add dot at Connel/Loch Etive to accord with Clive Craik's observations in the text.
176	Ruddy Shelduck	Column 2, additional refs: replace "Rinoul" with "Rintoul".
179	Common Shelduck	Winter map: replace all small blue diamonds with small blue dots (as south mainland Shetland).
187	Eurasian Wigeon	Breeding map: add red dot at Loch Leven (P&K). Winter map: remove dark blue on Bute (or add blue to several other areas which have more than Bute).
192	Gadwall	Caption to historic map: change "1906-1996" to "1909-1980". Clarification: Borders (1910 map relates to 1906 record of escapes from semi-captivity and should be deleted from all 4 maps; first confirmed breeding was 1984); Lothian (1940 map relates to Biel Pond record in 1924 [Rintoul & Baxter 1935, <i>B&amp;R</i> ]); Clyde (1940 map relates to Douglas, Lanarkshire record in 1927 [Berry 1939, <i>B&amp;R</i> ]); Moray & Nairn (1920 map relates to the record in 1913 [in Baxter & Rintoul 1920, & 1922 but not in Berry 1939, <i>B&amp;R</i> or Cook 1992]); Dumfries & Galloway (1920 map relates to 1913 Loch Gower, Wigtownshire [ <i>B&amp;R</i> ]).
203	Mallard	Lines 2-3: replace "the Black Isle" with "Easter Ross".
249	King Eider	There now appears to be some doubt about the first three records: 1832, 1847 (sighting) and 1868 (female). In particular it now seems that the location for the 1832 record could be either Shetland or Orkney depending upon which source is believed. If the location is in doubt so must the record.
251	Steller's Eider	Photograph caption: replace "North Uist" with "South Uist".
255	Long-tailed Duck	Paragraph 3: replace "..." with "Whiteness Head (Inverness) and Spey Bay (Moray & Nairn) and Dornoch and Helmsdale (Sutherland)."
273	Common Goldeneye	Column 1, paras 1-2: replace "Marquis" with "Marquiss" [3 times]
275	Smew	Column 2, para 3: replace "Kilburnie Loch (Fife)" with "Kilburnie Loch (Ayrshire)".
290	Ruddy Duck	Column 1, para 2: replace "In 2003" with "In 1991-99".
322	Golden Pheasant	Scottish range, para 2: replace "Whittaker" with "Whitaker".
323	Golden Pheasant	Threats, line 19: replace "Rahfisch" with "Rehfisch".
370	Cory's Shearwater	<b>2004 Lothian</b> Aberlady Bay, found dead, 22 April (SBRC). Now 136 records (of c. 234 birds). List as a rare spring record.
403	Continental Great Cormorant <i>P. c.</i>	<b>1998 Moray &amp; Nairn</b> Loch Spynie, 26 December to 20 January 1999 (SBRC). Second accepted record. The 2005 record on page 1597 becomes the 3rd.

Page	Species	Correction details
	<i>sinensis</i>	
417	Black-crowned Night Heron	In 2005-06, at least, there are an unknown number of free-flying Night Herons at Auchingarrich Wildlife Park, Comrie (Perth & Kinross) [and other species including Cattle Egrets].
425	Great Egret	Summary data: replace "36" with "37".
426	Great Egret	Paragraph 1: the late autumn-early winter records should also include one in Lothian on 1 December 2002.
434	Black Stork	1990 D&G record: replace "Shimings" with "Shimmings".
473	Eurasian Sparrowhawk	Penultimate line: replace "Clashindarroch" with "Clashindarroch".
485	Golden Eagle	Paragraph 1: replace "Green 1966a" with "Green 1996a".
489	Osprey	Map: on orange route replace "21/7" with "21/8".
494	Common Kestrel	Breeding/winter map: add Colonsay.
518	Water Rail	Insert "at least" before 450-900 pairs. [Breeding Atlas II makes it clear that the population estimate is a minimum].
541	Sandhill Crane	Observer surname for 1991 record: replace "Davidson" with "Davison" [in listing and in text].
543	Macqueen's Bustard	In header: replace "vulnerabble" with "vulnerable"
562	Ringed Plover	Scottish range, paragraph 4: replace "Jardine <i>et al.</i> 2002" with "Jardine <i>et al.</i> 1986".
572	Eurasian Dotterel	Map caption: replace "Galbriath" with "Galbraith".
580	Pacific Golden Plover	Comment, paragraph 3: replace "first record for Scotland and Britain" with "first record for Scotland".
588	Sociable Lapwing	Habitat: replace " <i>Artimesia</i> " with " <i>Artemesia</i> ".
606	Red-necked Stint	Photograph caption: replace "September 1989" with "July 2000".
608	Little Stint	Column 2, para 1, last line: replace "Fortheringham" with "Fotheringham".
610	Temminck's Stint	Missing record: four Monikie Country Park 17 May 2004 ( <i>A&amp;DBR</i> 2005). This is the largest multiple sighting.
613	White-rumped Sandpiper	<b>2004 Outer Hebrides</b> Northton Bay, Harris, juv, 20 September ( <i>BB</i> 100: 713). Now 69 records.
634	Buff-breasted Sandpiper	One killed by ship's cat on weather-ship "India" (59N 19W) on 21 September 1956 ( <i>BB</i> 51: 154). This is rather far west of our BS3 Scottish area (250 km to the NW in fact) – but should be noted along with the other 'At Sea' record.
649	Great Snipe	Annual graph caption: replace "1950-2004" with "in 5-year periods, 1840-2004"
666	Eskimo Curlew	1855 record in listing: replace "Durris Forrest" with "Durris Forest" and " <i>Naturalist</i> 2" with " <i>Naturalist</i> 5".
669	Whimbrel	Breeding map: add a small dot in Ross & Cromarty (centralised).
674	Eurasian Curlew	Paragraph 2, line 5: replace "(Ross & Cromarty/Sutherland)" with "(Ross & Cromarty)".
686	Green Sandpiper	Population: replace "only one pair confirmed in the early 21st century" with "up to two pairs confirmed in the early 21st century".
701	Wood Sandpiper	Column A, paragraph 2, line 16: replace "Argyll" with "Lochaber". Reference for this is Chisholm (2007).
718	Red-necked Phalarope	Graph: replace "Outer Hebrides" with "Outer Hebrides and Argyll" in key and caption.
752	Bonaparte's Gull	Species header: replace "Ord" with "(Ord)".
752	Bonaparte's Gull	1850 record in listing: replace "GLAMGZ.1969.93" with "GLAMGZ.1969.93.62".
754	Black-headed Gull	Note: the 1993 winter population figure in the header and text (155,500) was calculated to take a proportion (c. 37%) of the unidentified small gulls into account, and the figures in the table don't. An extra 5,860.
757	Black-headed Gull	Column B, paragraph 2: 1983 winter figures again include a proportion of the unidentified small gulls. An extra 31,496.
761	Mew (Common) Gull	Note: the 1993 winter population figure in the header and text (79,700) was calculated to take a proportion (c. 63%) of the unidentified small gulls into account, and the figures in the table don't. An extra 9,795.
764	Mew (Common) Gull	Column B, paragraph 4: 1983 winter figures again include a proportion of the unidentified small gulls. An extra 17,126.
771	Lesser Black-backed Gull	Note: the 1993 winter population figure in the text (452) was calculated to take a proportion of the unidentified large gulls into account, and the figures in the table don't. An extra 3.

Page	Species	Correction details
771	Lesser Black-backed Gull	Note: the 1983 winter population figure in the text (147) was calculated to take a proportion of the unidentified large gulls into account, and the figures in the table don't. An extra 1.
777	Herring Gull	Note: the 1993 winter population figure in the header and text (91,000) was calculated to take proportion (97%) of the unidentified large gulls into account, and the figures in the table don't. An extra 1,190.
780	Herring Gull	Note: the 1983 winter population figure in the text (106,963) was calculated to take a proportion of the unidentified large gulls into account, and the figures in the table (103,387) don't. An extra 3,576.
788	Glaucous Gull	Paragraph 5: replace "Palmer" with "Palmar".
791	Great Black-backed Gull	Breeding map: should cover Loch Leven (as per text).
794	Great Black-backed Gull	Note: the 1993 winter population figure in the text (2,980) was calculated to take proportion (%) of the unidentified large gulls into account, and the figures in the table don't. An extra 38.
794	Great Black-backed Gull	Note: the 1983 winter population figure in the table (6,728) is more than in the text (6,707). This discrepancy remains unresolved.
823	Lesser Crested Tern	Hybrid records: add " <b>1994 Lothian</b> Musselburgh, adult hybrid x Sandwich Tern with a second-generation hybrid juvenile, 4 September (LBR). Not 28 August as stated in <i>BB</i> 90: 520.
858	Great Auk	Caption to archaeological excavation diagram: replace "Sarjeantson" with "Serjeantson".
884	Common Wood Pigeon	Para 3, line 10: replace "Crail" with "Craigrothie".
893	Mourning Dove	Comments section, 1st line: replace "Morning Dove" with "Mourning Dove".
908	Scop's Owl	Paragraph 3: "partial skeletal remains" with "mounted specimen and partial skeletal remains". Replace "1926: 65" with "1926.65".
939	Common Swift	Map: add large dots at Loch of Skene (North-east Scotland) and Eyemouth (Borders) and enlarge dot at Loch Leven.
950	European Bee-eater	Missing record: nine Barry Buddon (Angus & Dundee) on 14 August 1997 ( <i>A&amp;DBR</i> 1997, <i>BW</i> 10: 288, <i>BS</i> 1: 38). This is the largest multiple sighting in Scotland.
952	European Roller	Delete paragraph 5. The February 1888 record from Argyll (Harvie-Brown & Buckley 1892) was incorrectly dated and should refer to October 1888 ( <i>Birds of Argyll</i> ).
965	Great Spotted Woodpecker	Column 2, para 1, line 1: replace "by 2003" with "by 1999".
980	Horned Lark	Scottish range, paragraph 1: replace "successful nesting confirmed only once, though breeding was suspected on up to four other occasions" with "successful nesting confirmed only twice, though breeding was suspected on up to seven other occasions".
980	Horned Lark	Scottish range, paragraph 4: replace "suspected in 1976, 1999 and 2001" with "suspected in 1976, 1997, 1999, 2001, 2002 and 2004".
982	Horned Lark	Population: replace "one or two proven records" with "two proven records".
1005	Olive-backed Pipit	<b>2003 Shetland</b> Skaw, Whalsay, 2 October ( <i>BB</i> 100: 729). Now 151 birds/records.
1031	Blue-headed Wagtail	Map: add St Monans (Fife) as a breeding location (diamond).
1051	Bohemian Waxwing	Paragraph 3: replace "in the late autumn from mid-October to mid-January" with "in the late autumn from mid-October to early December".
1067	Winter Wren	Last sentence: replace "Russian-ringed" with "Swedish-ringed".
1091	White-spotted Bluethroat	Additional record: male St Abbs Head (Borders) on 4 May 1997 ( <i>SBR</i> 1997: 57). Now 39 records. On the map: Borders dot increases to "3-4".
1097	Black Redstart	Winter map 1968/69-2001/02: add "3-4" dot for Argyll.
1097	Black Redstart	Caption to winter histogram: change "March" to "February". Paragraph 5: replace "between December and March" with "between December and February"
1101	Ehrenburg's Redstart	<b>1976 Fife</b> Fife Ness, 23 September, previously accepted ( <i>BB</i> 70: 431), now rejected ( <i>BB</i> 100: 754). This subspecies should now be deleted from the <i>Scottish List</i> .
1115	Pied Wheatear	List of records: the bird on the Isle of May on 19 October 1909 was in fact a "first-winter male of the ' <i>vittata</i> ' form", not a female (Ash 1956, Stoddart 2008). Ash, J.S. 1956. Female Pied Wheatear: the problem of identification. <i>British Birds</i> 49: 317-322. Stoddart, A. 2008. The ' <i>vittata</i> ' Pied Wheatear in Britain. <i>Birding World</i> 21: 156-157.
1159	White's Thrush	Photo caption: replace "Swinning" with "Swining".

Page	Species	Correction details
1165	Pallas's Grasshopper Warbler	<b>1998 Shetland</b> Hillwell, Mainland, 1 October ( <i>BB</i> 100: 735). Now 29 records.
1182	Paddyfield Warbler	Paragraph 2: replace "Isle of May bird on 30 May" with "Fair Isle bird on 30 May".
1193	Thick-billed Warbler	The 1971 specimen is at NMS (currently unregistered).
1198	Icterine Warbler	The first record for Scotland (Fair Isle 1908) has specimen number NMSZ 1908.241.10.
1204	Blackcap	Paragraph 1: replace "Beauly (Ross & Cromarty)" with "Beauly (Inverness)".
1204	Blackcap	Winter map: add Plockton-Loch Carron area.
1224	Marmora's Warbler	Comment, line 3: remove "Kevin Rideout and". Tim was the sole finder of this bird.
1227	Subalpine Warbler	<b>2002 Shetland</b> Aith, Fetlar, 1st-summer m, 23-28 May ( <i>BB</i> 100: 740) <b>2002 Shetland</b> Norwick, Unst, f, 22 June ( <i>BB</i> 100: 740) Now 175 records.
1230	Greenish Warbler	<b>2004 Shetland</b> Ham, Bressay, 6 September ( <i>BB</i> 100: 740). Now 157 birds/records.
1252	Common Chiffchaff	Paragraph 4: replace "Small numbers occur on the Inner Hebrides, mainly on Islay, Jura, Mull (all Argyll) and Skye, but also less regularly on some of the smaller islands such as Colonsay, Tiree and Iona (all Argyll), and Rum and Eigg (Lochaber)." with "Small numbers occur on the Inner Hebrides, mainly on Islay, Jura, Mull, Colonsay (all Argyll) and Skye, but also less regularly on some of the smaller islands such as Rum and Eigg (Lochaber)."
1254	Common Chiffchaff	Paragraph 2: replace "Trumland Wood" with "Trumland Wood, Rousay (Orkney)".
1280	Bearded Tit	Insert a new paragraph: "Earlier reports of individuals in Forfarshire (Angus & Dundee) before 1813, Inchinnan (Clyde) in 1830 ( <i>Gray</i> , Harvie-Brown 1906a) and another 'killed in the garden at Rothienorman [North-east Scotland] by the gamekeeper there in 1865' (Sim 1903), have not received widespread acceptance ( <i>B&amp;R</i> , Phillips 1997)."
1315	Eurasian Treecreeper	Distribution map: Colonsay should be pale green.
1318	Eurasian Golden Oriole	Habitat: replace "Habitat of single breeding pair in Scotland is not known" to "Habitat of all breeding pairs in Scotland is not known".
1328	Lesser Grey Shrike	The record from Fair Isle on 3 June 1913, which appeared to have been confused with a Woodchat Shrike the next day in the literature (see <i>Birds of Shetland</i> ), was found to be correct after publication (NMSZ 1913.145.05 was re-located in the Bird Hall in January 2008) and should be resurrected. It becomes the first for Scotland.
1344	Spotted Nutcracker	In record list and Comment, paragraph 1: replace "Harvey-Brown" with "Harvie-Brown" (i.e. twice).
1351	Eurasian Jackdaw	Trends: replace "The BBS indicates a 9% drop in numbers" with "The population is stable, with a non-significant increase noted by BBS."
1361	Hooded Crow	Paragraph 1: add "Inner Hebrides" before "Outer Hebrides".
1365	Common Raven	Column 2, para 3: add "540 at Stornoway, Lewis (Outer Hebrides) in September 1965 ( <i>SB</i> 3: 428)."
1369	Common Starling	Paragraph 1, line 2: replace "Greta" with "Gretna".
1393	European Serin	Specimen from Fair Isle in May 1914 is at NMS.
1411	Twite	Para 3, line 2: replace " <i>flammea</i> " with " <i>flavirostris</i> ".
1420	Coues's Redpoll	There were three birds on Fair Isle in 1910: female on 26 October, male on 3 November and an unsexed bird on 5 November. Change in the text; the statistics are correct.
1425	Two-barred Crossbill	Map: delete the Moray & Nairn dot. Inverness and Badenoch & Strathspey increases to 2 records (still a small dot).
1426	Common Crossbill	Habitat, paragraph 1: replace "adelgid wasp larvae and pupae" with "adelgid larvae and pupae".
1448	Hawfinch	Paragraph 4: replace "Two were trapped on 25 August 2002 at Drummond (Inverness), one of which had hatched that year, but there was no firm evidence of local breeding (H Insley & A F McNee pers. comm.)" with "One trapped on 25 and 31 August 2002 at Drummond (Inverness) had hatched that year, but there was no firm evidence of local breeding; an adult female was trapped at the same site on 2 January 2004 (H Insley pers. comm.)".
1467	White-throated Sparrow	Add a late acceptance: <b>2004 Shetland</b> Foula, 1 July (G Atherton) ( <i>BB</i> 100: 748). This becomes the 16th record.
1595	Appendix 3	Add American Coot <b>2005 Outer Hebrides</b> Coot Loch, Benbecula, 25 February to 6 April (S E Duffield <i>et al.</i> ) ( <i>BB</i> 100: 709). Alluded to on page 538 as a returnee, but treated by BBRC as a new bird. The 4th Scottish record. <b>2005 Shetland</b> Loch of Benston, Mainland, 24 September to 1 October (P Sclater <i>et al.</i> ),

Page	Species	Correction details
		presumed returning bird from 2003 and 2004 ( <i>BB</i> 100: 35).
1599	Appendix 3	Add <b>Mediterranean Gull</b> Mixed pair with Common Gull nested on river gravels on the River Tay (Perth & Kinross) , May 2006; adult photographed mating with Common Gull (Eric McCabe).
1602	Appendix 3	River Warbler: change dates from "5-9 October" to "3-4 October".
1602	Appendix 3	Hume's Leaf Warbler: change "10th-11th" to "11th-12th".
1604	Appendix 3	White-throated Sparrow: 2006 record becomes the 17th. See above.

30 June 2008